#### MINERAL SURVEY No. 3618.

	FI	ELD NOT	ES		
	OF THE SUR	VEY OF THE MINING	CLAIM OF		
	Robert Hennessy,	Isaac Jacobson a	and Elsie Toles		
		KNOWN AS THE			
		Wedge Lode		- >/-	
		Warren	Mining District		
	13 07-4-14.	23 S.	Arizona  Unapprove 23 E.AG & S F  Range 24 E.G & S F	d	
ion	18 Unappid. Town	ship 23 5	Range 24 R	BR	
Surv	eyed under instruction	ns dated August	28 2md., 1919.		
	by Ralph L. Motz				
			U. S. Mineral Surveyor.		
	Claim located see location notice , 19				
	9-	September 4tl	h, 1919., <i>19</i>		
	survey commenced.				
	Survey commenced	September 4t	h.1919. , 19		
	Survey completed Address of claimant		Bisbee, Arizona.		

Feet.

Beginning at Cor. No. 1, identical with Cor. No. 2 Sur. No. 3450 Vesuvius No. 1 lode and the northeast corner of Volcanic lode unsurveyed, a redwood post 4 ft. long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-3618 W, whence a porphyry rock with 24 x 30 x 2 inch high exposure and chiseled BR x 1-3618 brs N. 52° 09' W. 6.8 ft., a second porphyry rock with 19 x 33 x 6 inch high exposure with like chiseling brs N. 52° 12' E. 5.7 ft., and the N. W. Cor. of Sec. 30, T. 23 S., R. 24 E. G & S R B & M brs S. 2° 04' W. 6275.1 ft. thence N. 86° 50' W.

- 40.0 cross gulch, course northwesterly and southeasterly.
- 95.3 to original location for south end center, being a mound of stones 3 ft. high with a 3 ft. base,
- 395.3 to Cor. No. 2, the S. W. Cor., identical with location and with Cor. No. 1 Sur. No. 3423 Aqua Prieta lode, a redwood post 4 ft. long 4 inches square set 18 inches in the ground in a mound of stones and scribed 2-3618 W, whence an oak tree 8 inches in diameter by 15 ft. high blazed and scribed BT x 2-3618 brs N. 65° 15' E. 7.8 ft., and a sandstone rock in place 9 x 20 x 6 inches above ground chiseled BR x 2-3618 brs S. 88° 22! W. 11.7 ft.

thence N. 20° 45' W. and the contract of the c 1500.0 along line 1-4 Sur. No. 3423 Aqua Prieta lode to Cor. No. 3, the N. W. Cor., identical with location and with Cor. No. 4 Sur. No. 3423 Aqua Prieta lode, a redwood post 4 ft. long 4 inches square set 18 inches in the ground in a mound of stones and scribed 3-3618 W, whence a granite ledge with 34 x 37 x 6 inch high exposure and chiseled BR x 3-3618 brs N. 71° 21' W. 10.5 ft., and a second granite ledge with 11 x 24 x 11 inch high exposure with chiseling brs N. 26° 03' E. 18.2 ft.

thence S. 86° 50' E.

300.0 to original location for north end center, being a mound of stones 3 ft. high with a 3 ft. base,

Feet.

450.6 to Cor. No. 4, the N. E. Cor:, identical with location and with the southeast corner of Granite Mountain Iode, unsurveyed, a pine post 4 ft. long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3618 W, whence Cor. No. 1 Sur. No. 3498 Yaqui Scout lode brs N. 1º 15' W. 10.5 ft., and the 1/4 Cor. between Secs. 13, T. 23 S., R. 23 E., and 18, T. 23 S., R. 24 E., brs N. 45° 51' E. 321.9 ft. 1 000000000 dailed to x 22 x

MIN TAL SU VEY NO. 3618.

· AUUL # STORY

thence S. 26° 24' E.

160.0 cross gulch, course nertheasterly and southwesterly,

1526.7 to Cor. No. 5, the S. E. Cor., identical with Cor. No. 1, Sur. No. 3583 Republic #. 7 lode and situated on line 2-3 Sur. No. 3450 Vesuvius No. 1 lode, a pine post 4 ft. long 4 inches square set 18 inches in the ground in a mound of stones and scribed 5-3618 W, whence a quartite rock in place 10 x 20 x 6 inches above ground and chiseled BR x 3618 brs S. 60° 49' E. 14.3 ft., and a porphyry rock with 17 x 21 x 21 inch high exposure with like chiseling brs West 16:2 ft., and the original location for the southeast corner, being a mound of stones 3 ft. high with a 3 ft. base brs S. 26° 24' E. 50.0 ft.

thence S. 80° 59' W.

205.0 along line 3-2 Sur. No. 3450 Vesuvius No. 1 lode to Cor. No. 1, the place of the beginning.

The presumed course of the vein on this claim is from the south end center N. 20° 45' W. 1500.0 ft.

edir stare sered ow SIDE-E STAREA. Box serote To incom

Total and net area of Wedge lode- - - - - 16.742 A. etiner broses and ... the collocation. IV . M and 2102-

This claim is located in Sec. 13, T. 23 S., R. 23 E., unapproved, and Sec. 18, T: 23 S., R. 24 E. G & S R B & M in the Warren Mining District, Cochise County, Arizona. Source s anisd against the fine ROVEMENTS. Soi isnigito of 0.005

I certify that the value of the labor and improvements placed upon this claim by the claimants or their grantors was at the time of survey as follows:-

No.1. Discovery open cut 4 x 10 x 12 ft. long brg N. 12° 30' E, the mouth of which brs from south end center on lode line 220 ft. Value \$ 50.00

No.2. Open cut 10 x 10 x 12 ft. long brg N. 77° W., the mouth of which brs from Cor No. 3 S. 46° 20' E. 489.0 ft.

Value \$150.00

No.3. Open cut 5 x 6 x 8 ft.long brg S. 70° W, the mouth of which brs from Cor. No. 3 S. 46° 20' E. 545.0 ft.

Value \$ 35.00

Total value of improvements

\$235.00

#### ADJOINING CLAIMS.

North. Granite Mountain lode, unsurveyed, owned by Sam Frankenberg et al.

East. Republic No. 8 lode, unsurveyed, owned by Chas. Rambo et

South. Sur. No. 3450 Vesuvius No. 1 lode; Volcanic lode, unsurveyed owned by Chas. Rambo.

West. Sur. No. 3423 Aqua Prieta lode.

#### INSTRUMENT.

This survey was made with a Gurley Light Mountain transit. The courses were deflected from the true meridian as determined for Sur. No. 3423. The distances were measured with a 100 and 300 foot steel tapes. Magnetic variation 12° 30' East at all corners.

#### REPORT.

The N. W. Cor. of Sec. 30, T. 23 S., R. 24 E., is a lime-stone rock  $5\frac{1}{2}$  x 11 x 5 inches above ground, chiseled II on south face, and IIII on north face.

The 1/4 Cor. between Secs. 13, T. 23 S., R. 23 E., and 18 T. 23 S., R. 24 E., is an iron pipe with copper cap.

Ralph L. Mos
U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

September 16th, 1919.

000000000

### FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names of the individua	Is employed by Raiph L. Motz			
United States Mineral Surveyor, to assi	ist in running, measuring, and marking the lines, corners, and			
	ld notes of the survey of the mining claim of			
	Jacobson and Elsie Toles			
	Wedge Lode			
	ng the respective capacities in which they acted.			
	C. O. Mc Geein , Chainman.			
	, Chainman.			
	, Axman.			
	, Flagman.			
	, I agman.			
FINAL OA	THS OF ASSISTANTS.			
	n			
	, do solemnly swear that assisted			
	States Mineral Surveyor, in marking the corners and surveying			
	saac Jacobson and Elsie Toles			
	Wedge Lode			
	s having been surveyed by said mineral surveyor and under his			
	n all respects, to the best of best knowledge and belief, faithfully			
and correctly executed, and the corner and b	oundary monuments established according to law and the instruc-			
tions furnished by the United States Survey	or-General for Arizona			
	60, M. Cleen, Chainman.			
	, Chainman.			
	, Axman.			
	, Flagman.			
Subscribed and sworn	to by the above-named person before me this 16th			
day of Septem				
	JW Poss			
	Notary Public in and for the County of Cochise, State of Arizona.  My commission expires felly 2-1043/92			

## FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Ralph L. Motz	, U. S. Mineral Surveyor,							
	nce of instructions received from the United States							
Surveyor General for	Arizona , dated							
August 28 , 1919 ,	, I have, in strict conformity to the laws of the							
	ns and instructions thereunder, and the instructions							
of said Surveyor General, faithfully and correctly executed the survey of the Mining								
	Isaac Jacobson and Elsie Toles							
	, known as the Wedge Lode							
situate in	Warren Mining District							
County, Arizona, in Section 13 Unapprod. Township No. 23 S., Range No. 24 E. G & S R B & M Unapprod. and designated as Survey No. 3618, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or thair grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate								
or expenditures upon any other claim	Raysh L. Moss U. S. Moderal Surveyor.							
Subscribed and sworn to by the	said Ralph L. Motz							
U. S. Mineral Surveyor, before	me J.W.Ross, Notary Public							
	this 16th							
day of September	, 19 19.							
	Notary Public in and for the County of Cochise, State of Arizona.							
6—1044	My commission avnivos Hob OT-1							

### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,	
	FEB 3 1920	, 191
I, U. S. Surveyor-General for	DISTRICT OF ARIZONA,	
	ng transcript of the Field Notes, return and approval of th	
	ESSY, ISAAC JACOBSON and ELSIE TOLES	
	WEDGE LODE,	
	WARREN	
Mining District, COCHI	County, ARIZ 23 S., 23 E., Unapproship No. 23 S., , Range No. 24 E., C&SRB&L	ZONA,
	has been correctly copied from the originals of	
	furnish such an accurate description of said mining claim a	
	ally to identify the premises, and that such reference is made	
to natural objects or permanent mo	onuments as will perpetuate and fix the locus thereof	
And I further certify that fiv	nan re hundred dollars' worth of labor has been expended or i	M prove-
	im by claimants or their grantors, and that said impro-	
	vey, three open cuts, Value \$235.00	
	or improvements has been included in the estimate of expen	
ipon any other claim.		
I further certify that the plat to	thereof, filed in the U.S. Land Office at Phoenix.	
	correct and in conformity with the foregoing Field Notes.	
	Total Notes.	
	Frank P. Trott,	
	United States Surveyor-General for Arizona.	
0. 0094		

6-2934

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

### Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona	<u> </u>
		FEB 3 1920 , 191
I. U. S. Surveyor-	General for District of Al	rizona.
z, or a carvoyer c	30110s ws 101	of the state of th
do hereby certify that	the foregoing and hereto attached Field	Notes and Return of the Survey of the
Mining Claim of		
Pohert	Hennessy, Isaac Jacobson	and Flate males
1000010	Tours Cary Cary	4114 114515 104551
		, known as the
	WEDGE LODE,	
situate in	WARREN	mining district,
COCHISE	County,	ARIZONA
13 in Section 18 (Unap	23 S., pp.d.) , Township No. 23 S.,	2 E., Unapproved, Range No. 24 E.,
G&SRB&M,	designated as Survey No	.8
executed by	Ralph L. Motz,	, United States Mineral
Surveyor,	September 4th	., 191.9, under my instructions dated
August 28th	, 191. <b>9</b> , have been criti	cally examined and the necessary cor-
rections and explanatio	ns made, and the said Field Notes and	Return, and the Survey they describe,
are hereby approved.	A true copy of the copy of the location	certificate filed by the applicant for
survey is included in th	e field notes.	
	the	
	Jano	N A GINON

6-3824

U. S. Surveyor-General for Arizona.